

Water Sample	Date	Time	Beach Condition	Water Condition	Chatham Health District Response	e. Coli Level cfu/ml
Temp: 63, foggy, cloudy						
LH1-1	5/26/2020	8:00 AM	veg & leaves	clear water	No response, acceptable e. coli level	10
LH1-2	5/26/2020	8:00 AM	veg & leaves	clear water	No response, acceptable e. coli level	10
LH1-3	5/26/2020	8:00 AM	veg & leaves	clear water	No response, acceptable e. coli level	<10
LH2-1	5/26/2020	8:15 AM	leaves on beach	clear water	No response, acceptable e. coli level	<10
LH2-2	5/26/2020	8:15 AM	leaves on beach	clear water	No response, acceptable e. coli level	<10
LH2-3	5/26/2020	8:15 AM	leaves on beach	clear water	No response, acceptable e. coli level	<10
LH3-1	5/26/2020	8:30 AM	veg, leaves, dead fish	clear water	No response, acceptable e. coli level	<10
LH3-2	5/26/2020	8:30 AM	veg, leaves, dead fish	clear water	No response, acceptable e. coli level	<10
LH3-3	5/26/2020	8:30 AM	veg, leaves, dead fish	clear water	No response, acceptable e. coli level	<10

Water Sample	Date	Time	Beach Condition	Water Condition	Chatham Health District Response	e. Coli Level cfu/ml
Temp:	54 sunny					
LH1-1	06/02/20	8:00 AM	veg,leaves	clear	No response, acceptable e. coli level	31
LH1-2	06/02/20	8:00 AM	veg,leaves	clear	No response, acceptable e. coli level	<10
LH1-3	06/02/20	8:00 AM	veg,leaves	clear	No response, acceptable e. coli level	<10
LH2-1	06/02/20	8:20 AM	veg,leaves	cloudy,algae	No response, acceptable e. coli level	<10
LH2-2	06/02/20	8:20 AM	veg,leaves	cloudy,algae	No response, acceptable e. coli level	10
LH2-3	06/02/20	8:20 AM	veg,leaves	cloudy,algae	No response, acceptable e. coli level	<10
LH3-1	06/02/20	8:35 AM	veg,leaves	cloudy,algae	No response, acceptable e. coli level	<10
LH3-2	06/02/20	8:35 AM	veg,leaves	cloudy,algae	No response, acceptable e. coli level	<10
LH3-3	06/02/20	8:35 AM	veg,leaves	cloudy,algae	No response, acceptable e. coli level	<10

Water Sample	Date	Time	Beach Condition	Water Condition	Chatham Health District Response	e. Coli Level cfu/ml
Temp. 60 sunny						
LH1-1	06/09/20	8:00 AM	veg,leaves	Clear	No response, acceptable e. coli level	<10
LH1-2	06/09/20	8:00 AM	veg,leaves	Clear	No response, acceptable e. coli level	10
LH1-3	06/09/20	8:00 AM	veg,leaves	Clear	No response, acceptable e. coli level	10
LH2-1	06/09/20	8:15 AM	veg,leaves	pollen, cloudy	No response, acceptable e. coli level	20
LH2-2	06/09/20	8:15 AM	veg,leaves	pollen, cloudy	No response, acceptable e. coli level	42
LH2-3	06/09/20	8:15 AM	veg,leaves	pollen, cloudy	No response, acceptable e. coli level	<10
LH3-1	06/09/20	8:30 AM	veg, leaves,twigs	Clear	No response, acceptable e. coli level	<10
LH3-2	06/09/20	8:30 AM	veg, leaves,twigs	Clear	No response, acceptable e. coli level	<10
LH3-3	06/09/20	8:30 AM	veg, leaves,twigs	Clear	No response, acceptable e. coli level	<10

Water Sample	Date	Time	Beach Condition	Water Condition	Chatham Health District Response	e. Coli Level cfu/ml
Weather:	57 sunny					
LH1-1	6/16/2020	8:00	veg,leaves	clear water	No response, acceptable e. coli level	<10
LH1-2	6/16/2020	8:00	veg,leaves	clear water	No response, acceptable e. coli level	<10
LH1-3	6/16/2020	8:00	veg,leaves	clear water	No response, acceptable e. coli level	<10
LH2-1	6/16/2020	8:15	veg,leaves,twigs,foamy	clear water	No response, acceptable e. coli level	160
LH2-2	6/16/2020	8:15	veg,leaves,twigs,foamy	clear water	No response, acceptable e. coli level	99
LH2-3	6/16/2020	8:15	veg,leaves,twigs,foamy	clear water	No response, acceptable e. coli level	42
LH3-1	6/16/2020	8:40	veg,leaves	clear water	No response, acceptable e. coli level	<10
LH3-2	6/16/2020	8:40	veg,leaves	clear water	No response, acceptable e. coli level	<10
LH3-3	6/16/2020	8:40	veg,leaves	clear water	No response, acceptable e. coli level	<10

Water Sample	Date	Time	Beach Condition	Water Condition	Chatham Health District Response	e. Coli Level cfu/ml
Temp 67 foggy						
LH1-1	6/23/2020	8:00	veg,feathers	water cloudy	No response, acceptable e. coli level	31
LH1-2	6/23/2020	8:00	veg,feathers	water cloudy	No response, acceptable e. coli level	<10
LH1-3	6/23/2020	8:00	veg,feathers	water cloudy	No response, acceptable e. coli level	<10
LH2-1	6/23/2020	8:15	veg,feathers	water cloudy	No response, acceptable e. coli level	20
LH2-2	6/23/2020	8:15	veg,feathers	water cloudy	No response, acceptable e. coli level	<10
LH2-3	6/23/2020	8:15	veg,feathers	water cloudy	No response, acceptable e. coli level	20
LH3-1	6/23/2020	8:30	veg, leaves	water cloudy,pollen	No response, acceptable e. coli level	20
LH3-2	6/23/2020	8:30	veg, leaves	water cloudy,pollen	No response, acceptable e. coli level	10
LH3-3	6/23/2020	8:30	veg, leaves	water cloudy,pollen	No response, acceptable e. coli level	10

Water Sample	Date	Time	Beach Condition	Water Condition	Chatham Health District Response	e. Coli Level cfu/ml
Temp: Cloudy 70						
LH1-1	6/30/2020				no sample raining	
LH1-2	6/30/2020				no sample raining	
LH1-3	6/30/2020				no sample raining	
LH2-1	6/30/2020				no sample raining	
LH2-2	6/30/2020				no sample raining	
LH2-3	6/30/2020				no sample raining	
LH3-1	6/30/2020				no sample raining	
LH3-2	6/30/2020				no sample raining	
LH3-3	6/30/2020				no sample raining	

Sample	Date	Time	Beach Condition	Water Condition	Chatham Health District Response	e. Coli Level cfu/ml
Temp:55 cloudy						
LH1-1	7/7/2020	8:00	veg,shore foarmy	clear	No response, acceptable e. coli level	31
LH1-2	7/7/2020	8:00	veg,shore foarmy	clear	No response, acceptable e. coli level	20
LH1-3	7/7/2020	8:00	veg,shore foarmy	clear	No response, acceptable e. coli level	31
LH2-1	7/7/2020	8:15	veg,shore foarmy	clear	No response, acceptable e. coli level	31
LH2-2	7/7/2020	8:15	veg,shore foarmy	clear	No response, acceptable e. coli level	20
LH2-3	7/7/2020	8:15	veg,shore foarmy	clear	No response, acceptable e. coli level	64
LH3-1	7/7/2020	8:30	veg,feather,algae	clear	No response, acceptable e. coli level	<10
LH3-2	7/7/2020	8:30	veg,feather,algae	clear	No response, acceptable e. coli level	10
LH3-3	7/7/2020	8:30	veg,feather,algae	clear	No response, acceptable e. coli level	10

Water Sample	Date	Time	Beach Condition	Water Condition	Chatham Health District Response	e. Coli Level cfu/ml
Temp 67 sunny						
LH1-1	7/14/2020	8:00	veg,twig,feathers,goose poop	clear	No response, acceptable e. coli level	530/160
LH1-2	7/14/2020	8:00	veg,twig,feathers,goose poop	clear	No response, acceptable e. coli level	99
LH1-3	7/14/2020	8:00	veg,twig,feathers,goose poop	clear	No response, acceptable e. coli level	42
LH2-1	7/14/2020	8:15	veg,leaves	clear	No response, acceptable e. coli level	110
LH2-2	7/14/2020	8:15	veg,leaves	clear	No response, acceptable e. coli level	20
LH2-3	7/14/2020	8:15	veg,leaves	clear	No response, acceptable e. coli level	110
LH3-1	7/14/2020	8:30	veg,feathers,shore foamy	clear	No response, acceptable e. coli level	1`0
LH3-2	7/14/2020	8:30	veg,feathers,shore foamy	clear	No response, acceptable e. coli level	<10
LH3-3	7/14/2020	8:30	veg,feathers,shore foamy	clear	No response, acceptable e. coli level	10

Water Sample	Date	Time	Beach Condition	Water Condition	Chatham Health District Response	e. Coli Level cfu/ml
Temp:72 sunny						
LH1-1	7/21/2020	8:00	veg	alage	No response, acceptable e. coli level	87
LH1-2	7/21/2020	8:00	veg	alage	No response, acceptable e. coli level	140
LH1-3	7/21/2020	8:00	veg	alage	No response, acceptable e. coli level	160
LH2-1	7/21/2020	8:15	veg,feathers,goose poop	alage	No response, acceptable e. coli level	53
LH2-2	7/21/2020	8:15	veg,feathers,goose poop	alage	No response, acceptable e. coli level	220
LH2-3	7/21/2020	8:15	veg,feathers,goose poop	alage	No response, acceptable e. coli level	250/31
LH3-1	7/21/2020	8:30	veg	alage	No response, acceptable e. coli level	53
LH3-2	7/21/2020	8:30	veg	alage	No response, acceptable e. coli level	20
LH3-3	7/21/2020	8:30	veg	alage	No response, acceptable e. coli level	20

Water Sample	Date	Time	Beach Condition	Water Condition	Chatham Health District Response	e. Coli Level cfu/ml
temp79 sunny						
LH1-1	7/28/2020	8:00	veg,feathers	clear	No response, acceptable e. coli level	10
LH1-2	7/28/2020	8:00	veg,feathers	clear	No response, acceptable e. coli level	31
LH1-3	7/28/2020	8:00	veg,feathers	clear	No response, acceptable e. coli level	64
LH2-1	7/28/2020	8:20	veg,feathers,goose poop	clear	No response, acceptable e. coli level	160
LH2-2	7/28/2020	8:20	veg,feathers,goose poop	clear	No response, acceptable e. coli level	53
LH2-3	7/28/2020	8:20	veg,feathers,goose poop	clear	No response, acceptable e. coli level	53
LH3-1	7/28/2020	8:30	veg,leaves,feathers	clear	No response, acceptable e. coli level	10
LH3-2	7/28/2020	8:30	veg,leaves,feathers	clear	No response, acceptable e. coli level	10
LH3-3	7/28/2020	8:30	veg,leaves,feathers	clear	No response, acceptable e. coli level	10

Water Sample	Date	Time	Beach Condition	Water Condition	Chatham Health District Response	e. Coli Level cfu/ml
Temp:	75,cloudy					
LH1-1	8/4/2020	8:00	veg,feathers,foamy,poop	clean and clear	No response, acceptable e. coli level	<10
LH1-2	8/4/2020	8:00	veg,feathers,foamy,poop	clean and clear	No response, acceptable e. coli level	<10
LH1-3	8/4/2020	8:00	veg,feathers,foamy,poop	clean and clear	No response, acceptable e. coli level	<10
LH2-1	8/4/2020	8:15	veg,feathers,foamy,poop	clean and clear	No response, acceptable e. coli level	20
LH2-2	8/4/2020	8:15	veg,feathers,foamy,poop	clean and clear	No response, acceptable e. coli level	75
LH2-3	8/4/2020	8:15	veg,feathers,foamy,poop	clean and clear	No response, acceptable e. coli level	99
LH3-1	8/4/2020	8:30	veg feathers,leaves	clean and clear	No response, acceptable e. coli level	<10
LH3-2	8/4/2020	8:30	veg feathers,leaves	clean and clear	No response, acceptable e. coli level	160
LH3-3	8/4/2020	8:30	veg feathers,leaves	clean and clear	No response, acceptable e. coli level	110

Water Sample	Date	Time	Beach Condition	Water Condition	Chatham Health District Response	e. Coli Level cfu/ml
Temp:	75 hazy					
LH1-1	8/11/2020	8:00	veg,feathers,goose poop	clear	No response, acceptable e. coli level	20
LH1-2	8/11/2020	8:00	veg,feathers,goose poop	clear	No response, acceptable e. coli level	700/320
LH1-3	8/11/2020	8:00	veg,feathers,goose poop	clear	No response, acceptable e. coli level	700/160
LH2-1	8/11/2020	8:15	veg, leaves	clear	No response, acceptable e. coli level	20
LH2-2	8/11/2020	8:15	veg, leaves	clear	No response, acceptable e. coli level	10
LH2-3	8/11/2020	8:15	veg, leaves	clear	No response, acceptable e. coli level	20
LH3-1	8/11/2020	8:30	veg,twigs,leaves	alage	No response, acceptable e. coli level	10
LH3-2	8/11/2020	8:30	veg,twigs,leaves	alage	No response, acceptable e. coli level	31
LH3-3	8/11/2020	8:30	veg,twigs,leaves	alage	No response, acceptable e. coli level	10

Water Sample	Date	Time	Beach Condition	Water Condition	Chatham Health District Response	e. Coli Level cfu/ml
Temp:	66 sunny					
LH1-1	8/18/2020	8:10	veg,twigs,feathers,goose poop	clear	No response, acceptable e. coli level	31
LH1-2	8/18/2020	8:10	veg,twigs,feathers,goose poop	clear	No response, acceptable e. coli level	410/53
LH1-3	8/18/2020	8:10	veg,twigs,feathers,goose poop	clear	No response, acceptable e. coli level	99
LH2-1	8/18/2020	8:25	leaves,twigs	clar	No response, acceptable e. coli level	<10
LH2-2	8/18/2020	8:25	leaves,twigs	clear	No response, acceptable e. coli level	20
LH2-3	8/18/2020	8:25	leaves,twigs	clear	No response, acceptable e. coli level	<10
LH3-1	8/18/2020	8:40	veg,leaves,twigs,feathers	clear	No response, acceptable e. coli level	87
LH3-2	8/18/2020	8:40	veg,leaves,twigs,feathers	clear	No response, acceptable e. coli level	480/<10
LH3-3	8/18/2020	8:40	veg,leaves,twigs,feathers		No response, acceptable e. coli level	20

Water Sample	Date	Time	Beach Condition	Chatham Health District Response	e. Coli Level cfu/ml
Temp:	71 sunny				
LH1-1	8/25/2020	8:00	feathers,goose poop, leave	No response, acceptable e. coli level	75
LH1-2	8/25/2020	8:00	feathers,goose poop, leave	No response, acceptable e. coli level	42
LH1-3	8/25/2020	8:00	feathers,goose poop, leave	No response, acceptable e. coli level	87
LH2-1	8/25/2020	8:15	veg,leaves	No response, acceptable e. coli level	99
LH2-2	8/25/2020	8:15	veg,leaves	No response, acceptable e. coli level	140
LH2-3	8/25/2020	8:15	veg,leaves	No response, acceptable e. coli level	87
LH3-1	8/25/2020	8:30	twigs,leaves,veg	No response, acceptable e. coli level	20
LH3-2	8/25/2020	8:30	twigs,leaves,veg	No response, acceptable e. coli level	10
LH3-3	8/25/2020	8:30	twigs,leaves,veg	No response, acceptable e. coli level	31

Water Sample	Date	Time	Beach Condition	Water Condition	Chatham Health District Response	e. Coli Level cfu/ml
Temp: 60 sunny						
LH1-1	9/1/2020	7:59	nothing on shore			<10
LH1-2	9/1/2020	7:59	nothing on shore	clear	No response, acceptable e. coli level	<10
LH1-3	9/1/2020	7:59	nothing on shore	clear	No response, acceptable e. coli level	20
LH2-1	9/1/2020	8:10	nothing on shore	clear	No response, acceptable e. coli level	<10
LH2-2	9/1/2020	8:10	nothing on shore	clear	No response, acceptable e. coli level	10
LH2-3	9/1/2020	8:10	nothing on shore	clear	No response, acceptable e. coli level	<10
LH3-1	9/1/2020	8:21	algea	clear	No response, acceptable e. coli level	10
LH3-2	9/1/2020	8:21	algea	clear	No response, acceptable e. coli level	<10
LH3-3	9/1/2020	8:21	algea	clear	No response, acceptable e. coli level	<10